

DCS-8526LH

Full HD Pan & Tilt Pro Wi-Fi Camera

D-Link[®]



Product Highlights



Person Detection

Delivers smarter, more relevant alerts



Panorama View Angle Selection

See the camera's range of view and tap to jump to a specific area



Auto Motion Tracking

Automatic Pan/Tilt to follow an object as it moves

Your Home, Only Smarter

The mydlink DCS-8526LH Full HD Pan & Tilt Pro Wi-Fi Camera provides a range of features to help you effectively monitor large areas of your home or small office at all hours of the day. Effortlessly track and monitor your kids, elderly parents, or pets - even as they move around the room. It's the smart way to never let your loved ones out of sight.

Cinematic Camera Movements

Equipped with sharp, responsive pan/tilt movement and digital zoom, the Full HD Pan & Tilt Pro Wi-Fi Camera gives you full control. You can quickly scan a wide area from a variety of angles, and digital zoom lets you zoom in on specific areas for more detail. The DCS-8526LH can also be set to move to specific preset positions with the Panorama View Angle Selection feature, allowing the camera to focus on particular areas of interest within the surveillance area. Alternatively, set up Auto Motion Tracking to follow specific objects as they move around the room.

Edge-Based Person Detection

Edge-based Person Detection sets the mydlink Full HD Pan & Tilt Pro Wi-Fi Camera in a class of its own. Edge-based technology processes information in real-time, cleverly discerning between human and non-human movement. So unlike other cameras that bog you down with a never-ending stream of irrelevant motion-detection alerts, this camera is intelligent enough to send you alerts only when it really matters - such as distinguishing between a moving bug and a person. And since image processing is done locally on the camera, there's less lag and less bandwidth required.


All Your Footage Saved

Worried that you'll lose all your camera footage? Don't sweat it. The DCS-8526LH lets you record and save video clips to the mydlink Cloud Recording service for anytime access. Play back recordings from the cloud or download footage to your mobile device from anywhere, anytime over the Internet. You can also equip it with a 256 GB microSD card, or alternatively manage the device through an ONVIF Profile S client.

Features

- ◆ True Full HD 1080p at 30 fps so you never miss a thing
- ◆ Cinematic camera movements with pan and tilt technology
- ◆ Physical privacy mode impressively rotates the camera's lens to cover it completely
- ◆ Ethernet port for professional quality at consumer level
- ◆ IPv6 Support
- ◆ ONVIF Profile S for simple interoperability between cameras and devices such as NAS and CMS
- ◆ Works with Amazon Alexa and the Google Assistant¹
- ◆ Rich Notifications let you take action right from your lock screen
- ◆ Two-way audio, built in microphone and speaker
- ◆ Record videos² to a microSD card³, your phone, or the cloud
- ◆ AES128-encrypted video and audio streaming

Product Image



Technical Specifications

Camera		
Hardware Profile	<ul style="list-style-type: none"> • 1/2.9" Progressive CMOS sensor • 5 m (16 ft) IR illumination distance • Built-in Infrared-Cut Removable (ICR) Filter module • Fixed length 3.0 mm • Aperture F2.0 	<ul style="list-style-type: none"> • Angle of view (16:9): <ul style="list-style-type: none"> • Horizontal: 120° • Vertical: 62° • Diagonal: 138° • Built-in microphone and speaker
Image Features	<ul style="list-style-type: none"> • Configurable image size • Person Detection 	<ul style="list-style-type: none"> • Motion Detection (1 zone) • Invert image
Video Compression	<ul style="list-style-type: none"> • H.264 format compression 	
Video Resolution	<ul style="list-style-type: none"> • Max. Resolution: 1080p (1920 x 1080) at up to 30 fps 	
Audio Support	<ul style="list-style-type: none"> • MPEG-2 AAC LC 	
Pan/Tilt		
Pan Range	<ul style="list-style-type: none"> • -170° to +170° (total 340°) 	
Tilt Range	<ul style="list-style-type: none"> • -10° to +90° (total 100°) 	
Network		
Connectivity	<ul style="list-style-type: none"> • 802.11n/g wireless with the latest industry-standard 128-bit wireless encryption • Wi-Fi operates on 2.4 GHz band 	<ul style="list-style-type: none"> • 10/100 Base-TX Ethernet (RJ-45) • Bluetooth Low Energy 4.2
Network Protocols	<ul style="list-style-type: none"> • IPv4, IPv6 • DHCP/DHCPv6 Client • Bonjour (mDNS and DNS-SD) • ONVIF Profile S 	<ul style="list-style-type: none"> • RTSP • RTCP • RTP/SRTP • HTTPS

System Integration		
Event Management	<ul style="list-style-type: none"> • Motion detection • Person detection • Sound detection • Cloud recording • SD card recording 	<ul style="list-style-type: none"> • Push Notifications with a snapshot when the device detects motion/people/sound • Push Notifications with quick action buttons: <ul style="list-style-type: none"> • Call up to 2 designated contact numbers • Live view button
Device Management	<ul style="list-style-type: none"> • mydlink app 	<ul style="list-style-type: none"> • mydlink Portal (for live view only)
Physical		
Environment	<ul style="list-style-type: none"> • For indoor use only 	
Weight	<ul style="list-style-type: none"> • 320 g (11.3 oz) 	
Power Adaptor	<ul style="list-style-type: none"> • Input: 100 to 240 V AC, 50/60 Hz • Output: 5 V DC 2.0 A (Micro-USB) 	<ul style="list-style-type: none"> • Cable length 3 m (9.84 ft)
Power Consumption	<ul style="list-style-type: none"> • Maximum 6 W ± 5% 	
Temperature	<ul style="list-style-type: none"> • Operating: 0 to 40 °C (32 to 104 °F) 	<ul style="list-style-type: none"> • Storage: -20 to 70° C (-4 to 158 °F)
Humidity	<ul style="list-style-type: none"> • Operating: 20% to 90% non-condensing 	<ul style="list-style-type: none"> • Storage: 5% to 90% non-condensing
Certifications	<ul style="list-style-type: none"> • CE • LVD • RCM 	<ul style="list-style-type: none"> • FCC Class B • IC • NCC/BSMI
Dimensions (L x W x H)	<ul style="list-style-type: none"> • 114.12 x 77.89 x 77.70 mm (4.5 x 3.1 x 3.1 in) 	
	<p>The image contains two technical drawings of the camera. The left drawing is a top-down view showing a circular lens area with a diameter dimension of 77.89 mm. The right drawing is a side profile view showing the camera's height as 114.12 mm and its width as 77.70 mm. The camera has a rounded top and a flat base.</p>	

¹ Alexa service and the Google Assistant may not be available in all regions. ² Use of audio or video equipment for recording the image or audio of a person without their knowledge and consent is prohibited in certain states or jurisdictions. The end-user assumes all liability for compliance with applicable state, local and federal laws. ³ microSD card not included. Supports capacity up to 256GB.

Updated 2020/1/20